MONUMENTS

STEP BY STEP



1. Choose a Design Style
2. Choose a Texture/Finish
3. Choose Main and Accent Colors
4. Choose an LED Display
5. Choose Lettering/Logo Sizes
6. Choose Sign Accessories

DESIGN PROCESS

STEPS 1-6: STEP BY STEP CHOICES



1. Design Style

Pages 2-12



2. Texture/Finish

Pages 13



3. Main & Accent Colors

Pages 14



4. Choose LED

Page 15

5. Lettering/Logo

Pages 16-23



6. Sign Accessories

Page 24

MONUMENTS

DESIGN STYLES: OVERVIEW

AVAILABLE DESIGNS

Entech Signs has ten standard designs to choose from, varying from a simple monument to the more elaborate. Each style is specifically designed to allow for a single or double sided option. You choose the texture color with accent color, brick or stone accents, and letter options to customize and create the perfect addition to your location. All of our outdoor monuments have a lightweight, EPS foam core and are sprayed with a hard coat that makes the monument signage impervious to rot, termites and moisture. All monuments come with a 5 year warranty and are designed to withstand 180 Mph winds.

Design Style A

Page 3



Design Style B

Page 4



Design Style C

Page 5



Design Style D

Page 6





Design Style F

Page 8



Design Style G

Page 9



Design Style H

Page 10



Design Style I

Page 11



Colors displayed are optional. See pages 13 and 14 for all colors, stones and textures available.

MONUMENTS

DESIGN STYLES

DESIGN STYLE: A

An elegant and simple contemporary style that works well for most applications.

- Texture/Finish: Smooth Sand #T1
  - Main Color: #208 Sandle Beige
  - Accent Color: #420 White
- Lettering/Logo: Recessed- Aachen Bold
  - Color Choices: 6967 Frank Blue
- LED Display: 2-6 x 6-9 Full Color 12.5mm



STEP 1: CHOOSE YOUR STYLE

MODEL NUMBERS

96A



2'-6" x 6'-9" 16mm RED LED DISPLAY

120A



2'-6" x 9'-3" 16mm AMBER LED DISPLAY

144A



2'-6" x 10'-9" 12.5mm FULL COLOR LED DISPLAY

Colors displayed are optional. See pages 13 and 14 for all colors, stones and textures available.

MONUMENTS

DESIGN STYLES

DESIGN STYLE: B

This is a classic design that adds a little more style and design features to your monument sign.

- Texture/Finish: Stucco #T2
  - Main Color: #310 Ash
  - Accent Color: #420 White
- Lettering: Formed Plastic- AvantGarde
  - Color Choices: #2025 Black
  - Logo/Graphics: #2793Red + #2025Black
- LED Display: 2-6 x 6-9 Full Color 12.5mm



STEP 1: CHOOSE YOUR STYLE

MODEL NUMBERS

96B



2'-6" x 6'-9" 16mm RED LED DISPLAY

120B



2'-6" x 9'-3" 16mm AMBER LED DISPLAY

144B



2'-7" x 10'-6" 12.5mm FULL COLOR LED DISPLAY

Colors displayed are optional. See pages 13 and 14 for all colors, stones and textures available.

MONUMENTS

DESIGN STYLES

DESIGN STYLE: C

The is a very elegant design and the top arch gives you more room for graphics or text.

- Texture/Finish: Smooth Sand #T1
  - Main Color: #646 Sage
  - Accent Color: #420 White
- Lettering: Formed Plastic- Custom
  - Color Choices: #8866 Metallic Silver
  - Logo/Graphics: Custom Formed Plastic
- LED Display: 2-6 x 6-9 Full Color 12.5mm

STEP 1: CHOOSE YOUR STYLE

MODEL NUMBERS

96C



2'-6" x 6'-9" 16mm RED LED DISPLAY

120C



2'-7" x 9'-3" 16mm AMBER LED DISPLAY

144C

2'-6" x 10'-9" 12.5mm FULL COLOR LED DISPLAY

Colors displayed are optional. See pages 13 and 14 for all colors, stones and textures available.

MONUMENTS

DESIGN STYLES

DESIGN STYLE: D

For a more regal feel to your monument sign, this design is a standard for style and class.

- Texture/Finish: Smooth Sand #T1
  - Main Color: #310 Ash
  - Accent Color: #517 Wooden Oar
- Lettering: Recessed- Helvetica Bold Condensed
  - Color Choices: #517 Wooden Oar
  - Logo/Graphics: N/A
- LED Display: 2-7 x 7-6 Full Color 12.5mm



STEP 1: CHOOSE YOUR STYLE

MODEL NUMBERS

96D



2'-7" x 7'-6" 16mm RED LED DISPLAY

120D

2'-7" x 9'-6" 16mm AMBER LED DISPLAY

144D

2'-7" x 10'-6" 12.5mm FULL COLOR LED DISPLAY

MONUMENTS

DESIGN STYLES

DESIGN STYLE: E

This is a great contemporary design that easily compliments much of today's architecture.

- Texture/Finish: Smooth Sand #T1
  - Main Color: #927 Scarlet Red
  - Accent Color: #208 Sandle Beige
- Lettering: Formed Plastic- FrizQuadrata
  - Color Choices: #5687 Opaque White
  - Logo/Graphics: N/A
- LED Display: 1-8 x 6-9 Full Color 12.5mm (Custom)

STEP 1: CHOOSE YOUR STYLE

MODEL NUMBERS

96E



1'-8" x 6'-9" 16mm RED LED DISPLAY

120E



1'-8" x 10'-9" 16mm AMBER LED DISPLAY

144E



2'-6" x 8'-2" 12.5mm FULL COLOR LED DISPLAY

Colors displayed are optional. See pages 13 and 14 for all colors, stones and textures available.

MONUMENTS

DESIGN STYLES

DESIGN STYLE: F

- Columns: Stone #5
- Texture/Finish: Stucco #T2
  - Main Color: #920 Pine Cone
  - Accent Color: #402 Par
- Lettering: Raised-Aachen Bold
  - Color Choices: White
  - Logo/Graphics: N/A
- LED Display: 2-6 x 6-9 Full Color 12.5mm

STEP 1: CHOOSE YOUR STYLE

MODEL NUMBERS

96F



2'-6" x 5'-5" 16mm RED LED DISPLAY

120F



2'-6" x 6'-9" 16mm AMBER LED DISPLAY

144F



2'-6" x 8'-2" 12.5mm FULL COLOR LED DISPLAY

Colors displayed are optional. See pages 13 and 14 for all colors, stones and textures available.

MONUMENTS

DESIGN STYLES

DESIGN STYLE: G

- Columns: Brick- Smooth #B4
- Texture/Finish: Smooth Sand #T1
  - Main Color: #410 Beech
  - Accent Color: #420 White
- Lettering: Formed Plastic- Optima Semi Bold
  - Color Choices: #2418 Brown
  - Logo/Graphics: Custom Formed Plastic
- LED Display: 2-6 x 6-9 Full Color 12.5mm



STEP 1: CHOOSE YOUR STYLE

MODEL NUMBERS

96G



2'-6" x 5'-5" 16mm RED LED DISPLAY

120G



2'-6" x 6'-9" 16mm AMBER LED DISPLAY

144G



2'-6" x 10'-9" 12.5mm FULL COLOR LED DISPLAY

Colors displayed are optional. See pages 13 and 14 for all colors, stones and textures available.

MONUMENTS

DESIGN STYLES

DESIGN STYLE: H

- Columns: Brick- Smooth #B3
- Texture/Finish: Stucco #T2
  - Main Color: #517 Wooden Oar
  - Accent Color: #420 White
- Lettering: Raised- Custom
  - Color Choices: #420 White
  - Logo/Graphics: Custom Raised
- LED Display: 2-6 x 6-9 Full Color 12.5mm



STEP 1: CHOOSE YOUR STYLE

MODEL NUMBERS

96H



2'-6" x 5'-5" 16mm RED LED DISPLAY

120H



2'-6" x 6'-9" 16mm AMBER LED DISPLAY

144H

2'-6" x 10'-9" 12.5mm FULL COLOR LED DISPLAY

Colors displayed are optional. See pages 13 and 14 for all colors, stones and textures available.

MONUMENTS

DESIGN STYLE: I

- Columns: Stone #S7
- Texture/Finish: Stucco #T2
  - Main Color: #320 Dove Gray
  - Accent Color: #420 White
- Lettering: Formed Plastic- Futura Bold Condensed
  - Color Choices: #420 White
  - Logo/Graphics: N/A
- LED Display: 2-6 x 6-9 Full Color 12.5mm

MODEL NUMBERS

96I

2'-6" x 5'-5" 16mm RED LED DISPLAY

120I



2'-6" x 6'-9" 16mm AMBER LED DISPLAY

144I

2'-6" x 8'-2" 12.5mm FULL COLOR LED DISPLAY

Colors displayed are optional. See pages 13 and 14 for all colors, stones and textures available.

MONUMENTS

DESIGN STYLES

DESIGN STYLE: J

- Texture/Finish: Stucco #T2
  Main Color: #372 Soft Plum
  Accent Color: #400 Creme + #420 White
- Lettering: Recessed- Futura Bold Condensed
  Color Choices: #517 Wooden Oak
  Logo/Graphics: N/A
- LED Display: 1-8 x 6-9 Full Color 12.5mm

STEP 1: CHOOSE YOUR STYLE

MODEL NUMBERS

96J



2'-6" x 5'-5" 16mm RED LED DISPLAY

120J



1'-8" x 6'-8" 16mm AMBER LED DISPLAY

MONUMENTS

TEXTURES & FINISHES

There are three types of finishes to choose from when designing your monument: Textured, Brick and Stone Finishes. Some monuments can incorporate a combination of these finishes to create a truly unique and beautiful monument for your location. Use the corresponding item number when completing your monument order form.

STEP 2: CHOOSE YOUR FINISH

SURFACE FINISH OPTIONS

STANDARD TEXTURES

See Page 14 for Texture Color Options

Smooth Sand #T1

Stucco #T2

STONE SELECTION

Stone #S1

Stone #S2

Stone #S3

Stone #S4

Stone #S5

Stone #S6

Stone #S7

Stone #S8

Stone #S9

Stone #S10

BRICK SELECTION

Smooth #B1

Smooth #B2

Smooth #B3

Smooth #B4

Weathered #B5

Weathered #B6

Weathered #B7

Weathered #B8

Weathered #B9

MONUMENTS

TEXTURE COLOR CHOICES



A sand or stucco texture finish is standard with all monument style. The color options here are for texture and stucco finishes only. Each style requires a standard color choice with an optional accent color. Any combination of two colors can be incorporated to the monument texture style to create your unique color scheme. Ask about our "Custom Color" and "Finish Matching" services. If you have an existing building finish color you wish to match, we can help.

STEP 3: CHOOSE YOUR COLORS

MAIN & ACCENT TEXTURE COLORS

#420 White	#609 Linen	#101 Polar White	#406 Silver Fox	#517 Wooden Oar	#900 Adobe	SW 6454 Shamrock	SW 6475 Country Squire	SW 6480 Lagoon	Antique Gold	SW 6966 Blueblood
#22 Kool	#106 Sky	#340 Mockingbird	#360 English Fog	#920 Pine Cone	#150 Iris	SW 6733 Grasshopper	SW 6734 Espalier	SW 6767 Aquarium	Rich Gold	SW 6967 Frank Blue
#403 Weathered	#310 Ash	#104 Clay	#341 Silky White	#927 Scarlet Red	SW 6793 Bluebell	SW 6794 Flyway	SW 6811 Honorable Blue	SW 6824 Forget-Me-Not	Aluminum	SW 6976 Vanity Pink
#610 Dutch Cream	#400 Creme	#330 Dove Gray	#208 Sandle Beige	#646 Sage	SW 6842 Forward Fuschia	SW 6861 Radish	SW 6865 Gypsy Red	SW 6871 Positive Red	Copper	SW 6983 Fully Purple
#402 Par	#473 Truffle	#155 Tripoli Tan	#410 Beech	#227 Brown	SW 6868 Real Red	SW 6884 Obstinate Orange	SW 6910 Daisy	SW 6927 Greenbelt	SW 6307 Fine Wine	Standard Black
#120 Salmon	#934 Pebble Sand	#606 Fuzzy Peach	#372 Soft Plum	#930 Pink Champagne	SW 6941 Nifty Turquoise	SW 6943 Intense Teal	SW 6958 Dynamic Blue	SW 6965 Hyper Blue	SW 6573 Juneberry	

MONUMENTS

L.E.D. DISPLAY SIZES

Choosing the correct sized LED display can be a challenge. There are many factors that need to be considered before determining the size and resolution of an LED display. The speed of traffic passing your sign, the offset of the monument from the road and finally the intended audience to whom you wish your message conveyed. Our professional sign consultants will assist you in choosing the correct display, type face, lines, and character width in order to achieve the optimal results. Each monument style allows for a variety of LED display sizes and resolutions. When completing your order form, be sure to list the road speed, desired offset and the estimated distance from your target audience.



STEP 4: CHOOSE YOUR LED DISPLAY

L.E.D. DISPLAY SIZES

6'-8 3/4"
STYLE 96

9'-3 "
2'-6 1/4"
STYLE 120

10'-9 1/2"
STYLE 144

FOR DESIGNS: A, B, C, D, E,

5'-5 "
STYLE 96

STYLE s96

6'-8 3/4"
2'-6 1/4"
STYLE 120

1'-8 "
STYLE s120

8'-2 1/2"
STYLE 144

FOR DESIGNS: F, G, H, I

STYLE s144

FOR DESIGNS: F, G, H, I, J

entech Info Displays

Entech Signs • 1905 W Arbor Rose Dr. Grand Prairie, TX 75050
Toll Free: 1-800-383-8163 • Local: (972) 641-0390 • www.alpha-led.com

MONUMENTS

L.E.D. DISPLAY RESOLUTIONS

Custom Monument: Amber LED

16MM RESOLUTION

RECOMMENDED VIEWING DISTANCE: 25 FEET+

Red or Amber • High Resolution • 4.4" Minimum Letter Height
High Contrast / High Impact • Fluid Moving Text and Motion

ADJUSTABLE LETTER SIZES

With our software you are not locked into "lines of text" like other LED sign manufacturers, and the on board tools make it easy to create sign ads.

UP TO 6 LINES OF 4.4" TEXT

UP TO 4 LINES OF 4.4" TEXT

IMPORT PICTURES AND VIDEOS

SIGN SPECIFICATIONS

Color Capability	1 Color (4096 Shades)	Estimated LED Lifetime	100,000 Hours (11+ Years)	Software	LightSpeed™
Maximum Viewing Angle	160° Horizontal	Graphics Capability	Text, Animation, Pictures, Video	Contrast Enhancement	Non-reflective black louvers
LEDs / Pixel	(1) RED or AMBER	Dimming	100 Levels	Voltage	Full Range: 110/240 VAC 50/60Hz
Physical Pitch	16mm	Scan/Refresh Rate	2400+Hz	Remote Updates	Firmware & Software
Brightness	10,000 NITs	Frame Rate	60 FPS (frames per second)	Communication	Ethernet, Fiber Optic, Broadband, Wireless 2.4GHz 802.11G
Temperature Rating	-15F to 120F				

entech Info Displays

Entech Signs • 1905 W Arbor Rose Dr. Grand Prairie, TX 75050
Toll Free: 1-800-383-8163 • Local: (972) 641-0390 • www.alpha-led.com

MONUMENTS

L.E.D. DISPLAY RESOLUTIONS

12.5i RESOLUTION

RECOMMENDED VIEWING DISTANCE: 40 FEET+

Custom Monument: RGB LED

Full Color (RGB) • High Resolution • Great For Pictures and Videos
High Contrast / High Impact • Fluid Moving Text and Motion

Entech Sign's cutting edge, proprietary iPixel System allows each LED diode to be controlled individually in order to render smoother images and text; instead of pixilated clusters.

PICTURES AND VIDEO GET MORE ATTENTION

Easily import pictures and videos to create designs that go beyond the competition to grab more attention and get the results you want.

2'-6"

1'-8"

2'-6"

SIGN SPECIFICATIONS

Color Capability	281 Trillion	Estimated LED Lifetime	100,000 Hours (11+ Years)	Software	LightSpeed™
Maximum Viewing Angle	160° Horizontal	Graphics Capability	Text, Animation, Pictures, Video	Contrast Enhancement	Non-reflective black louvers
LEDs / Pixel	(4) 2R/1G/1B	Live Video Formats	Composite, S-Video	Voltage	Full Range: 110/240 VAC 50/60Hz
Physical Pitch	12.5i/25mm	Dimming	100 Levels	Remote Updates	Firmware & Software
Brightness	10,000 NITs	Scan/Refresh Rate	2400+Hz	Communication	Ethernet, Fiber Optic, Broadband, Wireless 2.4GHz 802.11G
Temperature Rating	-15F to 120F	Frame Rate	60 FPS (frames per second)		

entech Info Displays

Entech Signs • 1905 W Arbor Rose Dr. Grand Prairie, TX 75050
Toll Free: 1-800-383-8163 • Local: (972) 641-0390 • www.alpha-led.com

MONUMENTS

L.E.D. DISPLAY RESOLUTIONS

Custom Monument: RGB LED

10i RESOLUTION

RECOMMENDED VIEWING DISTANCE: 30 FEET+

Full Color (RGB) • High Resolution • Great For Pictures and Videos

High Contrast / High Impact Fluid Moving Text and Motion

Entech Sign's cutting edge, proprietary iPixel System allows each LED diode to be controlled individually in order to render smoother images and text; instead of pixilated clusters.

PICTURES AND VIDEO GET MORE ATTENTION

Easily import pictures and videos to create designs that go beyond the competition to grab more attention and get the results you want.

2'-6"

1'-8"

2'-6"

SIGN SPECIFICATIONS

Color Capability	281 Trillion	Estimated LED Lifetime	100,000 Hours (11+ Years)	Software	LightSpeed™
Maximum Viewing Angle	160° Horizontal	Graphics Capability	Text, Animation, Pictures, Video	Contrast Enhancement	Non-reflective black louvers
LEDs / Pixel	(3) 1R/1G/1B	Live Video Formats	Composite, S-Video	Voltage	Full Range: 110/240 VAC 50/60Hz
Physical Pitch	10i/20mm	Dimming	100 Levels	Remote Updates	Firmware & Software
Brightness	10,000 NITs	Scan/Refresh Rate	2400+Hz	Communication	Ethernet, Fiber Optic, Broadband, Wireless 2.4GHz 802.11G
Temperature Rating	-15F to 120F	Frame Rate	60 FPS (frames per second)		

entech Info Displays

Entech Signs • 1905 W Arbor Rose Dr. Grand Prairie, TX 75050
Toll Free: 1-800-383-8163 • Local: (972) 641-0390 • www.alpha-led.com

MONUMENTS

LETTERING OPTIONS: OVERVIEW

STEP 5: LETTERING

FORMED PLASTIC LETTERS



Option 1: The utmost in versatility with a manufacturer's guaranteed-for-life. These letters are pre-formed then mounted to the monument face. Dimensional letters add depth to the look of your monument lettering when mounted to the face. Seventy-eight standard font choices are available for this option (call for the complete list if the type styles listed do not meet your requirements).

LETTER VIEWING DISTANCE CHART

Ensure legibility from a distance by choosing the right sized letter for your monument sign.

LETTER HEIGHT	VIEWING DISTANCE
3 inch	75 feet
4 inch	100 feet
6 inch	150 feet
8 inch	200 feet
10 inch	250 feet
12 inch	300 feet
15 inch	375 feet
18 inch	450 feet

RECESSED LETTERS

Option 2: Recessed letters give an etched look to your monument lettering style. These letters are "cut" or "engraved" into the monument face then accented with a color of your choice.

Custom Font and Logo Reproduction Available

RAISED LETTERS

Option 3: Raised letters are the opposite of recessed letters. They protrude out from the monument face, and then accented with a color of your choice.

Custom Font and Logo Reproduction Available

MONUMENTS

FORMED PLASTIC LETTERS

Our standard formed plastic letters come in a variety of font types. With seventy-eight font types to choose from, there is a style for every application. The most popular thirty-six font types are listed below. Don't see the one you want? Contact one of our professional sign consultants for a complete list.

STEP 5A: CHOOSE A TYPE STYLE

TYPE STYLES OVERVIEW

Antique Olive Medium

Arial Bold

Avant Garde Medium

BARNUM

Brush Script

CASLON ADBOLD

CENTURY SCHOOLBOOK BOLD

COOPER BLACK

COOPER BLACK ITALIC

COPPERPLATE

EUROSTYLE BOLD

EUROSTYLE BOLD EXT ITALIC

FRIZ QUADRATA

Futura

Futura Condensed

FUTURA EXTRA BOLD ITALIC

Garamond Bold Italic

Garamond Bold Round

KABEL

MICROGRAMMA BOLD EXT

Old English Bevel

ROMAN NEO SB

ROMAN CLASSIC

STANDARD BLOCK CONDENSED

Standard Block Round

Univers 67

V-Bevel

MONUMENTS

FORMED PLASTIC LETTERS

LETTERING TYPE STYLES

STEP 5: CHOOSE YOUR TYPE STYLES

Contact us to confirm the type style and size you choose will fit in the allocated area. As a guide, the width given per letter is for a capital letter H.

Antique Olive Medium

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890/&-,.

AVAILABLE LETTER HEIGHTS (INCHES)

UPPER	4	6	9	12	15
LOWER	NA	4	6¾	9	11¼
WIDTH	2⅝	4⅛	6¼	8⅛	10⅛

Arial Bold

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890/&-,.

AVAILABLE LETTER HEIGHTS (INCHES)

UPPER	4	6	8	12	15
LOWER	NA	4	6	9	11¼
WIDTH	3½	5⅛	6⅞	10¼	12¾

Avant Garde Medium

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890/&-,.

AVAILABLE LETTER HEIGHTS (INCHES)

UPPER	4	6	9	12	15
LOWER	NA	4	6¾	9	11¼
WIDTH	3	4⅜	6½	8¾	10⅞

BARNUM

ABCDEFGHIJKLMNOPQRSTUVWXYZ
1234567890/&-,.

AVAILABLE LETTER HEIGHTS (INCHES)

UPPER			8	12	15
LOWER			NA	NA	NA
WIDTH			4½	8¾	10⅞

Brush Script

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890/&-,.

AVAILABLE LETTER HEIGHTS (INCHES)

UPPER		6	9	12	
LOWER		3	4½	6	
WIDTH		6⅛	9¼	12½	

CASLON ADBOLD

ABCDEFGHIJKLMNOPQRSTUVWXYZ
1234567890/&-,.

AVAILABLE LETTER HEIGHTS (INCHES)

UPPER	4	6	9	12	15
LOWER	NA	NA	NA	NA	NA
WIDTH	4	6	9	12	15

CENTURY SCHOOLBOOK BOLD

ABCDEFGHIJKLMNOPQRSTUVWXYZ
1234567890/&-,.

AVAILABLE LETTER HEIGHTS (INCHES)

UPPER	4	6	9	12	15
LOWER	NA	NA	NA	NA	NA
WIDTH	4	6	9	12	15

CONSORT ROUND

ABCDEFGHIJKLMNOPQRSTUVWXYZ
1234567890/&-,.

AVAILABLE LETTER HEIGHTS (INCHES)

UPPER	4	6	9	12	15
LOWER	NA	NA	NA	NA	NA
WIDTH	4⅛	6¼	9⅜	12¾	15⅝

COOPER BLACK

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz1234567890/&-,.

AVAILABLE LETTER HEIGHTS (INCHES)

UPPER	4	6	9	12	15
LOWER	NA	4	6¾	9	11¼
WIDTH	4¼	6½	9⅞	13	16⅜

MONUMENTS

FORMED PLASTIC LETTERS

LETTERING TYPE STYLES

STEP 5: CHOOSE YOUR TYPE STYLES

Contact us to confirm the type style and size you choose will fit in the allocated area. As a guide, the width given per letter is for a capital letter H.

COOPER BLACK ITALIC

ABCDEFGHIJKLMNOPQRSTUVWXYZ
1234567890/&-,.

AVAILABLE LETTER HEIGHTS (INCHES)

UPPER	4	6	9	12	15
LOWER	NA	NA	NA	NA	NA
WIDTH	4	6	9	12	15

COPPERPLATE

ABCDEFGHIJKLMNOPQRSTUVWXYZ
1234567890/&-,.

AVAILABLE LETTER HEIGHTS (INCHES)

UPPER	4	6	9	12	15
LOWER	NA	NA	NA	NA	NA
WIDTH	4⅜	6½	9¾	13	16¼

EUROSTYLE BOLD

ABCDEFGHIJKLMNOPQRSTUVWXYZ
1234567890/&-,.

AVAILABLE LETTER HEIGHTS (INCHES)

UPPER	4	6	9	12	
LOWER	NA	NA	NA	NA	
WIDTH	6½	5⅜	8	10⅝	

FRIZ QUADRATA

ABCDEFGHIJKLMNOPQRSTUVWXYZ
1234567890/&-,.

AVAILABLE LETTER HEIGHTS (INCHES)

UPPER	4	6	9	12	15
LOWER	NA	NA	NA	NA	NA
WIDTH	3½	5¼	6⅞	10½	13⅛

Futura

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890/&-,.

AVAILABLE LETTER HEIGHTS (INCHES)

UPPER	4	6	9	12	15
LOWER	2⅝	4	6	8	10
WIDTH	3	4½	6¾	9	11¼

Futura Condensed

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890/&-,.

AVAILABLE LETTER HEIGHTS (INCHES)

UPPER	4	6	9	12	15
LOWER	NA	4	6¾	9	11¼
WIDTH	2½	3½	5¼	7	10¾

FUTURA EXTRA BOLD ITALIC

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890/&-,.

AVAILABLE LETTER HEIGHTS (INCHES)

UPPER		6	9	12	15
LOWER		NA	NA	NA	NA
WIDTH		5½	8⅛	10¾	13½

Garamond Bold Italic

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890/&,.

AVAILABLE LETTER HEIGHTS (INCHES)

UPPER	4	6	9	12	15
LOWER	NA	4	6	8	10
WIDTH	2¾	4	6	8	10

Garamond Bold Round

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890/&-,.

AVAILABLE LETTER HEIGHTS (INCHES)

UPPER	4	6	9	12	15
LOWER	NA	4	6¾	9	11¼
WIDTH	4	6	9	12	15

MONUMENTS

FORMED PLASTIC LETTERS

LETTERING TYPE STYLES

STEP 5: CHOOSE YOUR TYPE STYLES

Contact us to confirm the type style and size you choose will fit in the allocated area. As a guide, the width given per letter is for a capital letter H.

KABEL

ABCDEFGHIJKLMNOPQRSTUVWXYZ
1234567890/&-,.

AVAILABLE LETTER HEIGHTS (INCHES)						
	UPPER	4	6	8	12	
	LOWER	NA	NA	NA	NA	
	WIDTH	3	4½	6	9	

MICROGRAMMA BOLD EXT.

ABCDEFGHIJKLMNOPQRSTUVWXYZ
1234567890/&-,.

AVAILABLE LETTER HEIGHTS (INCHES)						
	UPPER	4	6	8	12	14
	LOWER	NA	NA	NA	NA	NA
	WIDTH	4⅞	7¼	9⅝	14½	16⅞

Old English Bevel

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890/&-,.

AVAILABLE LETTER HEIGHTS (INCHES)						
	UPPER			9	12	15
	LOWER			6	8	10
	WIDTH			8	11	14

ROMAN NEO SB

ABCDEFGHIJKLMNOPQRSTUVWXYZ
1234567890/&-,.

AVAILABLE LETTER HEIGHTS (INCHES)						
	UPPER	4	6	9	12	15
	LOWER	NA	NA	NA	NA	NA
	WIDTH	3¾	5	8 7/16	11¼	14

Roman Classic

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890/&-,.

AVAILABLE LETTER HEIGHTS (INCHES)						
	UPPER	4	6	9	12	15
	LOWER	NA	NA	NA	NA	NA
	WIDTH	3¾	5¼	8½	10¾	12¾

STANDARD BLOCK CONDENSED

ABCDEFGHIJKLMNOPQRSTUVWXYZ
1234567890/&-,.

AVAILABLE LETTER HEIGHTS (INCHES)						
	UPPER	4	6	9	12	15
	LOWER	NA	NA	NA	NA	NA
	WIDTH	2	2⅞	3¾	5	6½

Standard Block Round

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890/&-,.

AVAILABLE LETTER HEIGHTS (INCHES)						
	UPPER	4	6	9	12	15
	LOWER	NA	4	6	8	10
	WIDTH	3	5	7	9	11

Universe 67

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890/&-,.

AVAILABLE LETTER HEIGHTS (INCHES)						
	UPPER	4	6	9	12	15
	LOWER	3	4	6	8	10
	WIDTH	2½	3¾	5¾	7⅝	9½

V-Bevel

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890/&-,.

AVAILABLE LETTER HEIGHTS (INCHES)						
	UPPER		6	9	12	
	LOWER		NA	NA	NA	
	WIDTH		5¾	8¾	11	

MONUMENTS

FORMED PLASTIC LETTERS

LETTERING COLORS

STEP 5B: CHOOSE LETTERING COLORS

Due to limitations of the printing process, printed colors may vary from actual finished product colors.

DIMENSIONAL LOGOS

STEP 5C: OPTIONAL LOGO/GRAPHICS

Add depth and uniqueness to your monument with a custom logo option of your choice. Your church, school, or business logo can be integrated into the monument face during production. These logos can be either recessed or raised to add the depth and 3 dimensional effects. Logo options are limited to four (4) colors.

1 COLOR SAMPLE

2 COLOR SAMPLE

3 COLOR SAMPLE

4 COLOR SAMPLE

FINISHING TOUCHES

Communications

Communicating with your new monument LED display is a breeze with our Safe-Link™ Wireless Kit. No expensive cables to run and cables to bury. Safe-Link™ can operate up to 1000' from the office antenna with an open line of site. Send your messages and images at high-speed, safely and securely. Each Safe-Link™ device is preprogrammed with a unique encryption key for your security. Other communication methods are available including direct Ethernet and fiber

Permitting and Installation

Entech Signs has a network of permitting and installation professionals around the nation. All installers are licensed, bonded and qualified before they are able to work with Entech's LED Signs. The life of your monument and the quality assurance we demand are all benefits of using the Entech Signs Permitting and Installation network. We do not recommend attempting the installation of a monument with integrated LED message center unless you are a trained professional.

Temperature Probe/Sensor

The Entech Temperature sensor is a great addition to your monument. It will enable you to accurately report the outside temperature with ranges of -20°C to110°C. A simple and dependable temperature device with outdoorrated box that discretely mounts to your monument.

Sign Scheduler Software

All of Entech Signs LED displays come packaged with our LightSpeed™ Software package. Feature rich withscheduling, integrated message creation tool, and user-friendly interface. Compatible with Windows 7, Vista, XP. Free software training includedwith every sign purchase. Let our professionals show youhow to create powerful effective messages!

MONUMENT ORDER FORM: ENTECH SIGNS

1 DESIGN STYLE/MODEL #:

Refer to pages 3-12

- A 96☐ 120☐ 144☐
- B 96☐ 120☐ 144☐
- C 96☐ 120☐ 144☐
- D 96☐ 120☐ 144☐
- E 96☐ 120☐ 144☐
- F 96☐ 120☐ 144☐ s☐
- G 96☐ 120☐ 144☐ s☐
- H 96☐ 120☐ 144☐ s☐
- I 96☐ 120☐ 144☐ s☐
- J 96☐ 120☐

2 TEXTURE/FINISH:

SIGN FACE TEXTURES Refer to page 13

Smooth Sand #T1☐ Stucco #T2☐

SIDE COLUMNS: (DESIGNS F-I)
CHOOSE EITHER STONE **OR** BRICK

STONE SELECTION Refer to page 13

#S1☐ #S2☐ #S3☐
#S4☐ #S5☐

BRICK SELECTION Refer to page 13

Smooth #B1☐ Smooth #B2☐
Smooth #B3☐ Smooth #B4☐
Weathered #B5☐ Weathered #B6☐
Weathered #B7☐ Weathered #B8☐
Weathered #B9☐

3 MAIN/ACCENT TEXTURE COLORS:

MAIN TEXTURE COLOR (SIGN FACE) Refer to page 14 DESIGN STYLE SHOWN IS FOR DETERMINING MAIN & ACCENT COLORS ONLY

On the call-out lines provided below, **clearly print** the desired Main color and the optional Accent color.



MAIN/ACCENT COLOR

MAIN COLOR

MAIN/ACCENT COLOR

4 L.E.D. DISPLAY OPTIONS: Refer to pages 15-18

RED☐ **AMBER**☐ **RGB**☐

In order to quote your new monument properly:
Please answer the following question so we can determine which L.E.D. sign is the best solution and most cost effective.

How important to you is it to be able to display images, photos or videos?

Select your level of importance: **High**☐ **Medium**☐ **Low**☐ **Not at all**☐

5 LETTERING OPTIONS: (TWO TYPE STYLE MAXIMUM) Refer to page 19

Raised☐ **Recessed**☐ **Formed Plastic**☐

A FIRST TYPE STYLE: Refer to page 20
Clearly print the **NAME** of the TYPE STYLE you want.

UPPER CASE HEIGHT: Refer to pages 21-23 _____ **lower case height:** Refer to pages 21-23 _____

B **Clearly print** the **COLOR** you want the first type style to be.
Raised/Recessed: Page 14 **Formed Plastic:** Page 24

SECOND TYPE STYLE: Refer to page 20
Clearly print the **NAME** of the TYPE STYLE you want.

UPPER CASE HEIGHT: Refer to pages 21-23 _____ **lower case height:** Refer to pages 21-23 _____

Clearly print the **COLOR** you want the second type style to be.
Raised/Recessed: Page 14 **Formed Plastic:** Page 24

C LOGO OPTIONS:
Refer to page 24

Raised☐
Recessed☐
Formed Plastic☐

LOGO COLORS:

1☐
2☐
3☐
4☐

LOGO NOTES: List any additional Information/Drawing needed in order to reproduce your logo properly in the box below.

ATTENTION: Spell out the text you want on the monument and the general layout you want for one line or two lines of text. **Please print clearly.** An illustrated rendering will be sent to you for your approval before production.

Road Speed: _____MPH **Audience Distance:** _____FT

6 SIGN ACCESSORIES: Refer to page 25

Communications☐ Temperature Sensor☐ Permit/Installation☐

Sign Scheduler Software Included with ALL Signs

entech Info Displays

Entech Signs • 1905 W Arbor Rose Dr. Grand Prairie, TX 75050
Toll Free: 1-800-383-8163 • Local: (972) 641-0390 • www.alpha-led.com